

TEST REPORT: 7191031287-CHM12-02-LYP

Date: 16 APR 2012

Tel: +65 68851346 Fax: +65 67732912

Client's Ref:

Email: Yin-Pheng.LEONG@tuv-sud-psb.sg

Note: This report is issued subject to the Testing and Certification Regulations of the TÜV SÜD Group and the General Terms and Conditions of Business of TÜV SÜD PSB Pte Ltd. In addition, this report is governed by the terms set out within this report.



PSB Singapore

Choose certainty.
Add value.

SUBJECT

Microbiological Analysis of Sanitary Napkin

CLIENT

Takara Holdings Pte Ltd
Block 5028,
Ang Mo Kio Industrial Park 2, #01-185,
Singapore 569531


Attn : Mr Peter Teo

SAMPLE SUBMISSION DATE / TEST DATE

09 Apr 2012 / 10 Apr 2012

DESCRIPTION OF SAMPLE

1 sample of "ADORE" sanitary napkin was submitted.



TÜV SÜD PSB

Laboratory:
TÜV SÜD PSB Pte. Ltd.
No.1 Science Park Drive
Singapore 118221

Phone : +65-6885 1333
Fax : +65-6776 8670
E-mail: testing@tuv-sud-psb.sg
www.tuv-sud-psb.sg
Co. Reg : 199002667R

Regional Head Office:
TÜV SÜD Asia Pacific Pte. Ltd.
3 Science Park Drive, #04-01/05
The Franklin, Singapore 118223
TÜV[®]

TEST REPORT: 7191031287-CHM12-02-LYP
16 APR 2012



PSB Singapore

METHOD OF TEST

The United States Pharmacopeia, USP 33 (2010)

1. <61> Microbiological Examination Of Nonsterile Products: Microbial Enumeration Tests
2. <62> Microbiological Examination Of Nonsterile Products: Tests For Specified Microorganisms

RESULTS

Test	"ADORE" sanitary napkin
Total Aerobic Microbial Count, CFU/g (TSA, 35°C 48 hrs)	Less than 10
Total Mould Count, CFU/g (SDA, 25°C 5 days)	Less than 10
Detection of Coliform per piece	Not detected
Detection of <i>Staphylococcus aureus</i> (coagulase positive) per piece	Not detected
Detection of <i>Pseudomonas aeruginosa</i> per piece	Not detected
Detection of <i>Streptococcus hemolyticus</i> per piece	Not detected

Notes :

CFU : Colony Forming Unit
TSA : Tryptone Soya Agar
SDA : Sabouraud Dextrose Agar

Remarks :

The above test results relate to the sample as received.

MS AW HWEE YING
TECHNICAL EXECUTIVE

MRS KAM-LEONG YIN PHENG
PRODUCT MANAGER
MICROBIOLOGY
CHEMICAL & MATERIALS

TEST REPORT: 7191031287-CHM12-02-LYP

16 APR 2012



PSB Singapore

Please note that this Report is issued under the following terms :

1. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that TÜV SÜD PSB approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that TÜV SÜD PSB in any way "guarantees" the later performance of the product/equipment. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product/equipment.
2. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. TÜV SÜD PSB therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any information supplied.
3. Nothing in this report shall be interpreted to mean that TÜV SÜD PSB has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.
4. This report shall not be reproduced wholly or in parts and no reference shall be made by the Client to TÜV SÜD PSB or to the report or results furnished by TÜV SÜD PSB in any advertisements or sales promotion.
5. Unless otherwise stated, the tests were carried out in TÜV SÜD PSB Pte Ltd, No.1 Science Park Drive Singapore 118221.

July 2011

